Chem 10, Fall 2009	
Exam 2 (Chp 4, 5, 9 and 1	(0)

Answer questions 1-17 on your scantron. Each question is worth 2 pt. Mark only one answer for each question,

1) (4.5) Given the following number (A) p=16, n=16, e=16	mber of protons (p), net B) p=15, n=16, e=18	utron (n) and electrons C)p=16 n=15	(e), which two the sa , e=16 D) p=17	me element? <i>Mark two</i> ., n=15, e=18
2) (4.5) Given the following number of the second s			(e), which of the follows: D) p=8, n=8, e=10	•
3) (4.6) Which elements will ha A) carbon B) tin	ve similar properties? <i>M</i> C) zirconium Zx D)	Mark all that apply. tellurium, The E each		
4) (4.7 and 4.8) What do all the	halogens have in comm	non?	-	

4) (4.7 and 4.8) What do all the halogens have in common?
∠A) They all undergo similar reactions.
∠B) They all have similar properties.

)e) They all form -1 ions.

They all have the same number of valence electrons.

E) all of the above

5) (4.7) Which of the following elements will form cations? *Mark all that apply*A) Na
B) C
C) F
D) Ca
E) Ne
6) (9.4) What happens to an atom when it absorbs energy?
A) The atom stores the energy for later use.

B) The extra energy increases the speed of the electrons in their orbitals.

C) The atom re-emits the energy as heat.

D) The atom re-emits the energy as light.

E) none of the above

7) (9.6) The subshell letter: 5, p, d , f

(A) specifies the 3-D shape of the orbital.

(B) specifies the principal quantum number of the orbital.

(C) specifies the maximum number of electrons.

D) specifies the principal shell of the orbital.

8) (9.6) What is the electron configuration for P?

A) [Ar]3s23p64s23d104p3

B) [Ne]1s21p62s22p3

C) [Ne]3s23p3

D) [Ar]3s23p3

E) none of the above

9) (9.6) Which principle energy level has the highest energy?

A) n=1

B) n=2

C) n=3

D) n=4

E) n=5

3 5 27

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

3 5 3 7

11) (9.6) Which of the following electron configurations is not correct?

A) Br – 1s², 2s², 2p⁶, 3s², 3p⁶, 4s², 3d¹⁰, 4p⁵

B) Na – 1s², 2s², 2p⁶, 3s¹

H – 1s¹

Chem 10, Fal	1 2009	Exam 2	(cont.)	6A, F) _{es} 2	Page 2 of
12) (9.7) Which A) Al	h of the follow B) Si	ing elements has the	electron configurat) Cl E) 1	tion of 3s ² 3p ⁴ in	its outerm	ost shell?
13) (9.7) What A) carbon	element has 4 B) tin	valence electrons in t C) zirconium		ergy level? E) lead		·
14) (9.8) Which (A) Na	one of the fol B) Ca	lowing species has the	e electron configu Dy Li [†]	ration of <i>1s²2s²2</i> (E))F ⁻	p ⁶ ? Mark	all that apply.
1 5) (9.2) Which	of the followi	ng atoms is the large	st?			
A) Ba	B) Ca	C) K	D) Sr		E) Y	
16) (9.9) Which A) Na	of the followi B) Be	ng atoms has the leas C) Rb	t metallic characte D) Ti	r? Fight E) Ba	, top	most

17) (10.3) Which of the following are ionic compounds? *Mark all that apply*.
A) NO₂
(B) MgO
(C) KH
(D) NH₃
(E) SF₂

Show all work for Questions 18 - 25 for complete credit. Round calculated answers to the correct number of significant figures.

18) (4.8) (11 pt) Fill in this table with the missing values, isotope formulas or names

Carried States Contraction of the Contraction of th	Isotope name	Isotope symbol	Atomic number	Mass number	Protons	Neutrons	Electrons	Charge
ě	Iodine-131	13/ T-1 53 T-1	53	131	53	78	54	-1
	chrmium-54	54Cv2+	24	54	24	30	22	+2

19) (4.5) (8 pt) Calculate the average atomic mass of an element that has three isotopes:

Percent Abundance Mass


23.9850419 amu / 160 = Isotope 1 78.99%

Isotope 2 10.00% 24.9858370 amu / ==

25.9825930 amu / > Isotope 3 11.01%

20) (2 pt) What elements is this?_

21) (9.6) (10 pt) Draw the orbital diagram for vanadium.



22) (10.2 and 10.3) (8 pt) Draw a diagram using Lewis dot symbols showing how magnesium and chlorine trade electrons

to make an ionic compound

Lewis dot symbols of elements		Lewis dot symbols of ions		Formula of compound	
omgo ;ci.	3.25 00	mgat a-[:ci:]	3.25 pt	Mg Cl2	

23) (10.5) Draw the Lewis structure of NH₂OH

How many valence electrons are there? 14

Grading will be determined by:

2 pt valence electrons

1 pt arrangement of atoms

4 pt octet around all atoms

2 pt proper number of bonds to each atom according to its element.

24) (10.7) Fill in the following table for the following compound.

24) (10:7) 1 in in the following table for the following compound:				
Lewis structure	Electron group name	Bond angle	Molecular geometry name	
	(4 pt)	(2 pt)	(4 pt)	
	Around O:	Around O:	Around O:	
 H-0-N-0	tetrahedral	169,5°	bent	
	Around N:	Around N:	Around N:	
	trig planar	1200	best	

25. (14 pt) Complete the following table with either the name or formula of the compound or ion.

FORMULA	NAME
P_2O_5	diphosphorus pentoxide
K_2O	diphosphorus pentoxide potassium axide
$\operatorname{Cr}_2(\operatorname{SO}_4)_3$	chromium (III) sulfato.
$\mathrm{HC_2H_3O_2}$	acetic acid.
NH ₃	ammonia
$\mathrm{NH_4NO_2}$	ammonium nitrite
AgBrO	silver hypobromite
Br/	Bromine
Mn	Manganese
5 m, (PD4)4	Tin(IV) phosphate
HZ2 (1+c03)2	Mercury(I) hydrogencarbonate
Caltu	Calcium hydride
NaoH	Sodium hydroxide
H IO4	Periodic acid
33 pt	IOU-